



FixSun is a series of panels designed in Finland for challenging weather conditions. The new 5BB technology guarantees the most effective panels of the market, which are also able to make the most of the scattering on cloudy weather.


FXN-300P-60/5BB Polycrystalline 60 cells 280w-300w

Reliable Quality

- Positive power tolerance: 0~+5W
- 100% EL double-inspection ensures modules are defects free
- Modules binned by current to improve system performance
- Potential Induced Degradation (PID) Resistant

2 Superior Warranty

- 25-year product warranty
- 25-year linear power output warranty



3 Key features



Polycrystalline modules designed for commercial and solar farm grid-tied applications



High power output and highest conversion efficiency



Anti-reflective and anti-soiling surface reduces power loss from dirt and dust



Outstanding performance in low-light irradiance environments



Excellent mechanical load resistance: Certified to withstand high wind loads (2400Pa) and snow loads (5400Pa)



High salt and ammonia resistance certified by TÜV NORD


Mechanical Parameters

	Cell (mm)	Poly 156x156
	Weight (kg)	18 (approx)
	Glass Thickness	4/3.2mm
	Dimensions (L×W×H) (mm)	1640×992×35
	Cable Cross Section Size (mm²)	4
	No. of Cells and Connections	60×10
	Junction Box	IP67, 3 diodes
	Connector	MC4 Compatible
-	Packaging Configuration	30 Per Pallet

Working Conditions

Maximum System Voltage	DC 1000V (IEC)
Operating Temperature	-40°C∼+85°C
Maximum Series Fuse	15A
Maximum Static Load, Front (e.g., snow and wind) Maximum Static Load, Back (e.g., wind)	5400Pa (112 lb/ft²) 2400Pa (50 lb/ft²)
NOCT	45±2℃
Application Class	Class A

Engineering Drawings





Electrical Parameters

Module	FXN280P-60	FXN285P-60	FXN290P-60	FXN295P-60	FXN300P-60
Rated Maximum Power at STC (W)	280	285	290	295	300
Open Circuit Voltage (Voc/V)	38.85	38.95	39.63	40.02	40.41
Maximum Power Voltage (Vmp/V)	31.88	32.18	32.56	32.90	33.24
Short Circuit Current (Isc/A)	9.33	9.43	9.56	9.63	9.70
Maximum Power Current (Imp/A)	8.78	8.85	8.91	8.97	9.03
Module Efficiency [%]	17.12	17.55	17.86	18.16	18.47
Power Tolerance (W)		-0~+5W			
Temperature Coefficient of Isc (alsc)	+0.058%/°C				
Temperature Coefficient of Voc (βVoc)	-0.330%/°C				
Temperature Coefficient of Pmax (γPmp)	-0.410%/°C				
STC Irradiance 1000W/m², Cell Temperature 25°C, Air Mass 1.5					

I-V Curve

