# HEATIT WIFI PANEL HEATER

#### **CHOOSE BETWEEN 7 DIFFERENT OUTPUT AND SIZES**



## **Meatit**

### **HEATIT WIFI PANEL HEATER FEATURES**

Heatit WiFi Panel Heater/List is an electrical radiator. The convector can be controlled using the "MyHeatit" App via Wi-Fi, Bluetooth (BLE), by the buttons on the top, or through the open API over Wi-Fi.

Heatit WiFi Panel Heater has 2 modes; Comfort and Eco.

Heatit WiFi Panel Heater has a modern, slim design and is aesthetically pleasing. It is easy to install and can be either mounted on the wall or freestanding on legs (optional equipment).

Heatit WiFi Panel Heater has active power metering and it gives you real time information about your power consumption.



**MyHeatit** 

#### • Wi-Fi


- Local control through control panel
- Temperature from 5°C to 35°C
- Built-in digital thermostat
- Adjustable power output from 100W to max
- Silent control Triac
- Easy-to-read LED display
- Comfort and ECO-mode
- Open window detection
- Overheat protection
- Child lock
- Splash proof
- Wall bracket
- Cord lead is 130cm
- IP24

## **SELECT A STYLE TO COVER YOUR NEEDS**

Heatit WiFi Panel Heater comes in different rated output ranging from 400W to 1500W, in both white and black.

#### The Heatit WiFi List is available in 1000W.

Heatit WiFi panels are supplied both as a traditional convector and as a skirting panel heater.







600W White and Black\* White and Black Size: 440x55x350mm Size: 500x55x425mm Room size: 4-8m<sup>2</sup> Room size: 7-11m<sup>2</sup>



Size: 630x55x425mm Room size: 9-13m<sup>2</sup>



1000W White and Black Size: 800x55x425mm Room size: 12-16m<sup>2</sup>

1200W White and Black\* Size: 1000x55x425mm Room size: 15-19m<sup>2</sup>

#### 1500W

White Size: 1000x55x425mm Room size: 20-24m<sup>2</sup>

Look for products marked with MyHeatit.





#### **CONTROL PANEL:** • Easy-to-read LED Display

 Button for local control • Built in digital thermostat

### **HEATIT WIFI PANEL HEATERS DIFFERENT STYLES**

1000W List White and Black\*

Size: 970x55x255mm Room size: 12-16m<sup>2</sup>

\* Made to order - delivery time may vary



We have launched a new, forward-thinking Wi-Fi concept. All of our new Heatit products with Wi-Fi support can be controlled through our newly developed app, "MyHeatit".

In the future, we will be launching more products based on Wi-Fi technology.

The MyHeatit app is designed to meet both the user's and installer's needs. The installer can configure the system via Bluetooth. After the system is set up, the installer can add the 3. 46% 10:24 🖪 🍸 property to the customer. The customer can **Wheatit** (t) ((<u>)</u>\_) then add the system to their local Wi-Fi network.  $(\hat{\circ})$ Mattisrudsvingen 19 In the "MyHeatit" app, you can create your own profiles such as "Home – Away – Night - Vacation," allowing you to control, monitor, Tomorrow Next 12 hrs 2.4°C 2.0°C and organize all your connected devices, or manage them through a weekly schedule. Sunrise 07:16 (☆) 10:23 17:44 Available on the GET IT ON Google Play App Store Termostat (+)19.0°C 40.0℃ -Termostat [C] More products will become available (+)on the MyHeatit platform in the future 22.0°C 40.0°C heati **Wheatit** ① (2) (2) 225% Home Devices Scenes Energy 0 **Wheatit** 

#### Heatit Controls AB • SE-Läkarvägen 4, 454 31 BRASTAD, SWEDEN • Phone: +47 61 18 77 77 • post@heatit.com • heatit.com

Heatit Controls AB can not be held liable for typographical errors, other errors or omittances in our information. Product specifications may change without further notice. All electrical installations must be carried out by a licensed electrician. The product must be installed in accordance with national building codes and our installers manual.