

MIRAGGIO™ bathtubs are made of cast marble using **MIRAMARBLE** technology.

The main components of the mixture are ground marble and polyester resin. The surface of the product is covered with antibacterial gel **GELCOAT ISO NPG**. The bath can have a **glossy** or **matte finish**, also the outside part of product can have any **color** according to the RAL palette.

Baths made by **MIRAMARBLE** technology have the following advantages:

-  Hygienic surface
-  Repairability
-  Preservation of heat for a long time
-  Scratch resistance
-  Easy maintenance
-  Durable material
-  Resistance to ultraviolet light

All products are manufactured in accordance with European standards and tested for quality.

## RECOMMENDATIONS FOR CARE AND EXPLOITATION OF BATHS MIRAGGIO™

### Rules of care for baths with a GLOSSY FINISH:

1. After using, the bath should be rinsed under running water. Soap should be cleaned with a universal cream with microgranules (for example, CIF).
2. In the care of products it is forbidden to use detergents with abrasive particles, aggressive organic acids and products containing them in their composition (sodium hypochlorite "MILAM"; sodium hydroxide "KROT"; hydrochloric and acetic acids; etc.).
3. All products retain their performance properties at a temperature of  $\pm 70$  °C.
4. Contaminants that may stain the surface should be cleaned as follows (**table.1**):

Substance	Cleaning agent	Cleaning method
5% alcohol iodine solution	1. Varnish remover or universal cream for cleaning dirt with microgranules	1. Wet the cloth or napkin abundantly and wipe the painted area thoroughly. If there is a spot, then you need to apply a small amount of cream on the painted area and leave for 15-20 minutes. Thoroughly rub with a sponge and rinse with water.
Diamond green alcohol solution of 1%		
Permanent marker		
Hair dye	1. Cream universal with microgranules. 2. Sand paper P1500-2000	1. Apply a small amount on the painted area and leave for 15-20 minutes. Thoroughly rub with a sponge and rinse with water. 2. If there is a spot of paint, then you need abundantly to moisten the sandpaper with water and clean the painted area in a circular motion. Then update the surface of the product with polishing paste.

### Rules of care for baths with a MATTE FINISH:

1. After use the bath should be rinsed under running water to wash away soap residues.
2. In the care of products it is forbidden to use detergents with abrasive particles, aggressive organic acids and products containing them in their composition (sodium hypochlorite "MILAM"; sodium hydroxide "KROT"; hydrochloric and acetic acids; etc.).
3. All products retain their performance properties at a temperature of  $\pm 70$  °C.
4. Contaminants that may stain the surface should be cleaned as follows (**table.2**):

Substance	Cleaning agent	Cleaning method
5% alcohol iodine solution	Varnish remover	Wet the cloth or napkin abundantly and wipe the painted area thoroughly.
Diamond green alcohol solution of 1%		


## RECOMMENDATIONS FOR INSTALLATION OF CAST MARBLE BATHTUBS:

1. In the course of repair consider that installation of a sewer branch and pipes should be placed in a floor.
2. During installation, the bath should be installed on a brick pedestal or construct additional wooden supports.
3. Install a drain (overflow) device in the product. To drain the water from the bath, adjust the height of the support and connect the drain to the sewer pipe.
4. Fill the space between the floor and the bathroom with sanitary silicone and remove the support units.
5. After installation, check the operation of the drain and wash the bath with soapy water.

## WARRANTY CONDITIONS

1. The manufacturer provides a **10-year warranty** on all cast marble products from the date of manufacture.
2. The warranty covers manufacturing defects (irregularities, cracks, deformations, etc.) in compliance with the rules of installation, storage and operation.
3. The manufacturer is not responsible for the materials used by the Buyer, which were used by him during the installation, and which do not come directly from the manufacturer.
4. Warranty obligations **do not work** in the case of:
  - if the conditions for care and exploitation of the product are not met;
  - in case of doing holes in product on one`s own;
  - in case of mechanical damage to the product during installation;
  - in the absence of documents confirming the sale by a trading company;
  - damage during transportation of products, if they were not recorded at the department of the transport company or its employee.

**WARNING! Check the integrity of the product when you receive it at the offices of transport companies. To install the bath, consult a certified specialist and do not make additional holes by yourself.**



Length tolerance	+9/-9 mm	Design engineer	Date of project	Length tolerance (mm)	+3/-3 mm	Scale	1:20
Width tolerance	+5/-5mm	Project ID	03.04	Name	Iceberg		
Tap hole positional tolerance	+3/-3 mm	Miraggio		Art. N°	1700/800		
Overflow positional tolerance	+3/-3 mm			Dimensions	1700/800		
Water capacity	370 l	Water capacity without overflow	480 l	Weight tolerance	±3%	Weight	166