

ТОВ «УКРКОМПОЗИТ+»  
49022, Україна,  
м. Дніпро, вул. Повітряна, 2



Тел. +38 097 421 64 67  
Тел. +38 098 0999 022  
E-Mail: [ukrkompozit@gmail.com](mailto:ukrkompozit@gmail.com)  
[miraggio.dp@gmail.com](mailto:miraggio.dp@gmail.com)  
[www.miraggio.com.ua](http://www.miraggio.com.ua)

## Declaration of performance

according to EU regulation № 305/2011

№ LZE01-02303

1. **HS code**  
6810 99 00 00
2. **Product range**  
White and coloured washbasins made of artificial (cast) stone
3. **Method of identification**  
Label
4. **Intended use of goods according to manufacturer's advice**  
For personal hygiene
5. **Name, brand name and details of manufacturer**  
UKRKOMPOZIT+ LLC  
Miraggio™  
2 Vozdushnaya street, Dnipro, Ukraine, 49022  
Tel. +38 (097) 421 64 67  
Email: [miraggio.dp@gmail.com](mailto:miraggio.dp@gmail.com); [export.miraggio@gmail.com](mailto:export.miraggio@gmail.com)  
[www.miraggio.com.ua/en](http://www.miraggio.com.ua/en)
6. **Authorized representative of manufacturer acting under mandate in accordance with section 2 clause 12**  
N/A
7. **Sustained performance evaluation system**  
System 4
8. **Harmonized standard**  
EN 14688
9. **European Assessment Document**  
N/A

### 10. Declared technical specifications

Product	Main characteristics	Test method	Results	Standard
Washbasin	10.1. Draining of water	PN-EN 14688:2009, 5.3	Good draining	PN-EN 14688:2009, 4.2
	10.2. Protection against overflowing	PN-EN 14688:2009, 5.9	Water does not slop over the edges of washbasins	PN-EN 14688:2009, 4.7.1
	10.3. Cleanability	PN-EN 14688:2009, 5.8	Smooth, cleanable surface of washbasins	PN-EN 14688:2009, 4.6
	10.4. Resistance to temperature changes	PN-EN 14688:2009, 5.4	Testing at 70°C and 15°C. No defects (such as cracks, scratches or bulges) have been observed.	PN-EN 14688:2009, 4.3

#### 10.5. Resistance to chemicals and abrasives

Test method: PN-EN 14688:2009, 5.5

Standard: PN-EN 14688:2009, 4.4

Type of chemicals	Chemicals / Agents	Method of removing
Acids	Acetic acid (CH <sub>3</sub> COOH), 10% V/V	Deionized water
Alkalines	Sodium hydroxide (NaOH), 5% m/m	Deionized water + cleaning device
Alcohols	Ethanol (C <sub>2</sub> H <sub>5</sub> OH), 70% V/V	Deionized water
Bleaches	Sodium hypochlorite (NaOCl), 5% active chlorine (Cl <sub>2</sub> )	Deionized water
Staining agents	Methylene blue, 1% m/m	12h-alumina + cleaning device
Salts	Sodium chloride (NaCl), 170 g/l, diluted to 50%	Deionized water

11. Performance characteristics of the products indicated in clause 2 comply with the performance characteristics declared in clause 10. This declaration has been drafted in accordance with the Regulation № 305/2011 within manufacturer's personal responsibility.

Signed on behalf of the manufacturer:

CEO \_\_\_\_\_ Vasilyeva Y.V.

UKRKOMPOZIT+ LLC, 2017/07/01



*(Handwritten signature)*  
signature and stamp