




NORDIC & NORDIC+ HOUSES

WE HAVE A GREAT ALTERNATIVE TO THE TRADITIONAL GARDEN HOUSE!

These contemporary-style buildings with a Scandinavian look and quality are most suitable for a city garden. Palmako Nordic Houses represent our most modern and innovative pre-fabricated house models.

These models have 40 mm EPS (Expanded polystyrene) insulated doors, which makes them especially rain and wind resistant.

1. Plywood 10mm
2. Plywood 10mm
3. EPS 50 40mm insulation
4. Wooden skeleton 40x40mm
5. Wooden laminated frame 44x105mm
6. Hardwood 28x93mm threshold
7. Hinge 115x84x3mm (3x)
8. 565 lock and lock box



Ready-made wall elements are covered with wind-protection plastic inside, making these houses extremely weatherproof, especially rain and wind resistant. In order to hide cabling (wires, pipes, etc.) there is internal wall-cladding and there is also opportunity for 70 mm insulation. All the houses have double thermo glazing and outwards-opening windows.

Total element thickness by Nordic houses is 88 mm. Here is a cross section of an element just to get better understanding of what these elements look like and consist of:

1. 34x70mm frame
2. Wind-protection plastic
3. 18mm fine sawn cladding



PALMAKO NORDIC HOUSE LY 13,6 m²

ARTICLE NUMBER: 101147



ONE SET – MANY HOUSES!

A model contains a set of wall and window-door elements, which can be rearranged in several ways.


This results in multiple appearance options for the house.




FAST & EASY ASSEMBLY




Internal view, walls covered with wind-protection plastic



Wall elements – 10 + 2 pc



Window elements + windows – 2 pc



Ready-made elements and simple construction allow for fast and easy assembly. Installation video for the Ly model can be viewed at www.palmako.com/eng/ly



Scan this barcode to see assembling of Ly 13,6 m²!

Storage
Convenient to store large quantities outdoors; the model is kept in stock all year around.



30 min

Unpacking and sorting building units
House kits are compact and contain all the needed accessories for assembly.



Mounting foundation and floor boards
Treated foundation joists and 19 mm floor boards.



45 min



1 h

Installing wall elements
Ready made wall-elements, covered with wind-protection plastic inside.



Installing rafters and roof boards
Ready-made rafters make roof installation easy and fast, roof boards are 19 mm.



1 h 30



1 h

Placing door and windows
Double glazed windows ensure good thermal resistance. All windows can be opened.



Covering roof with felt or shingles
Roofing felt is the easiest and fastest way to protect the roof boards against the weather.



1 h



6–8 hours





PALMAKO NORDIC
HOUSE LY 13,6 m²



PALMAKO NORDIC+
HOUSE CHARLOTTE 21,5 m²



PALMAKO NORDIC
HOUSE HEDWIG 13,6 m²



PALMAKO NORDIC+
HOUSE PERNILLA 21,5 m²



PALMAKO NORDIC
HOUSE ETTA 13,6 m²




PALMAKO NORDIC+
HOUSE ANNIKA 21,5 m²




PALMAKO NORDIC
HOUSE SOLVEIG 13,6 m²

PALMAKO NORDIC HOUSE LY 13,6 m²

ARTICLE NUMBER: 101147



Door and window elements can be swapped.
Double glazed.
Ready-made wall elements
with wind protection plastic!
Trendy look! Fine-sawn cladding.

**88 mm**

A: 203 cm
B: 297 cm



Included
19 mm

MODEL SPECIFICATIONS

Wall measurements:

330x452 cm

Volume: 35,2 m³

Door/window type: Summer

Door/window glass:

Double glass, 3-9-3 mm

Window opening

measurements:

57x165 cm

Door opening

measurements: 78x191 cm

Door sill: hard wood

Roof boards: 19 mm

Roof area: 19,5 m²

Roof gradient: 20,0°


Gross ground area: 14,9 m²

OPTIONAL


Roofing felt (underlayer): 5 rolls, SBS roofing material: 5 rolls, shingles: 8 packs, roofing nails, rain gutters, internal wall cladding, additional window. See Optional Products p. 256-273 for details.

PALMAKO NORDIC HOUSE HEDWIG 13,6 m²

ARTICLE NUMBER: 101163



Door and window elements can be swapped.
Double glazed.
Ready-made wall elements
with wind protection plastic!
Trendy look! Fine-sawn cladding.

**88 mm**

A: 203 cm
B: 297 cm



Included
19 mm

MODEL SPECIFICATIONS

Wall measurements:

330x452 cm

Volume: 35,2 m³

Door/window type: Summer

Door/window glass:

Double glass, 3-9-3 mm

Window opening

measurements:

57x86 cm

Door opening

measurements: 78x191 cm

Door sill: hard wood

Roof boards: 19 mm

Roof area: 19,5 m²

Roof gradient: 20,0°


Gross ground area: 14,9 m²

OPTIONAL

Roofing felt (underlayer): 5 rolls, SBS roofing material: 5 rolls, shingles: 8 packs, roofing nails, rain gutters, internal wall cladding, additional window. See Optional Products p. 256-273 for details.

PALMAKO NORDIC HOUSE ETTA 13,6 m²

ARTICLE NUMBER: 101151




Door and window elements can be swapped.

Double glazed.

Ready-made wall elements

with wind protection plastic!

Trendy look! Fine-sawn cladding.

**88 mm****A: 203 cm****B: 294 cm****Included****19 mm**

MODEL SPECIFICATIONS

Wall measurements:

452x330 cm

Volume: 33,7 m³**Door/window type:** Summer**Door/window glass:**

Double glass, 3-9-3 mm

Window opening

measurements:

57x165 cm


Door opening**measurements:** 78x191 cm**Door sill:** hard wood**Roof boards:** 19 mm**Roof area:** 19,7 m²**Roof gradient:** 9,0°**Gross ground area:** 14,9 m²

OPTIONAL

Roofing felt (underlayer): 5 rolls, SBS roofing material: 5 rolls, roofing nails, rain gutters, internal wall cladding, additional window. See Optional Products p. 256-273 for details.

PALMAKO NORDIC HOUSE SOLVEIG 13,6 m²

ARTICLE NUMBER: 101203



Door and window elements can be swapped.

Double glazed.

Can be built in reverse!



Ready-made wall elements

with wind protection plastic!

Trendy look! Fine-sawn cladding.

Ceiling boards included.

Metal roof edge included.

**88 mm****A: 238 cm****B: 281 cm****Included****28 mm**

MODEL SPECIFICATIONS

Wall measurements:

452x330 cm

Volume: 30,2 m³**Door/window type:** Summer**Door/window glass:**

Double toughened glass,

4-9-4 mm

Fixed window measurements:

84x200 cm, 90x200 cm

Door opening

measurements: 207x201 cm**Door sill:** hard wood**Roof boards:** 19 mm**Roof area:** 15,5 m²**Roof gradient:** 1,4°**Rain gutters:** Included**Gross ground area:** 14,9 m²

OPTIONAL

EPDM, internal wall cladding.

See Optional Products p. 256-273 for details.

PRE-FABRICATED PALMAKO NORDIC+ HOUSES WITH ELEMENT THICKNESS OF 160 MM

These Scandinavian-style houses are suitable for any garden that lacks strong, weather-resistant buildings where you can be with your family and friends. Feel free to take your time and delve into the following pages of our best choice of modern, pre-fabricated Nordic+ houses.

Ready-made wall elements are covered with wind-protection plastic inside, making these houses extremely weatherproof, especially rain and wind-resistant. It is comfortable to be in a building when it is warm - we have thought about it and given you an opportunity for 95 mm insulation. You can insulate walls, floors and ceilings. For better house ventilation we have added ventilation battens after cladding. All the houses have double thermo glazing and outwards-opening windows. These models have 40 mm EPS (expanded polystyrene) insulated doors.



Total element thickness by Nordic+ houses is 160 mm. Here is a cross section of an element just to get a better understanding of what these elements look like and consist of:

1. 44x95mm frame
2. Wind-protection plastic
3. 19x45mm ventilation battens
4. 28x70mm cladding support battens
5. 18mm fine sawn cladding

One set – many houses!

A model contains set of wall and window-door elements, which can be rearranged in several ways. This results in multiple appearance options for the house. If you like more light in the house you can choose between three window options of different size (small, half and large). Please have a look at them on p. 267. Ready-made elements and simple construction allow for fast and easy assembly.

PALMAKO NORDIC+ HOUSE CHARLOTTE 21,5 m²

ARTICLE NUMBER: 101253



CHARLOTTE OPTION 1




CHARLOTTE OPTION 2



CHARLOTTE OPTION 3




CHARLOTTE OPTION 4



PALMAKO NORDIC+ HOUSE CHARLOTTE 21,5 m²

ARTICLE NUMBER: 101253



MODEL SPECIFICATIONS

Wall measurements:

448x548 cm

Volume: 55,4 m³

Door/window type: Summer

Door/window glass:

Double glass, 3-9-3 mm

Window opening

measurements:

57x165, 69x38 cm

Door opening measurements:

78x191 cm

Door sill: hard wood

Roof boards: 19 mm

Roof area: 30,4 m²

Roof gradient: 20,0°

Gross ground area: 24,6 m²

OPTIONAL

Roofing felt (underlayer): 7 rolls, SBS roofing material: 7 rolls, shingles: 13 packs,

roofing nails, rain gutters, canopy roof, single window elements.

See Optional Products p. 256-273 for details.

Door and window elements can be swapped.


Double glazed.

Trendy look! Fine-sawn cladding.


Ready-made wall elements with wind protection plastic!



160 mm



A: 216 cm
B: 326 cm



Included
19 mm

NEW!



Canopy roof as an optional extra.


NEW!



Nordic+ single window elements

PALMAKO NORDIC+ HOUSE PERNILLA 21,5 m²

ARTICLE NUMBER: 101261



MODEL SPECIFICATIONS

Wall measurements:

448x548 cm

Volume: 55,4 m³

Door/window type: Summer

Door/window glass:

Double glass, 3-9-3 mm

Window opening

measurements:

69x95, 69x38 cm

Door opening

measurements: 78x181 cm

Door sill: hard wood

Roof boards: 19 mm

Roof area: 30,4 m²

Roof gradient: 20,0°

Gross ground area: 24,6 m²

OPTIONAL

Roofing felt (underlayer): 7 rolls, SBS roofing material: 7 rolls, shingles:

13 packs, roofing nails, rain gutters, canopy roof, single window elements.

See Optional Products p. 256-273 for details.

Door and window elements can be swapped.


Double glazed.

Trendy look! Fine-sawn cladding.


Ready-made wall elements with wind protection plastic!



160 mm



A: 216 cm
B: 326 cm



Included
19 mm

NEW!



Canopy roof as an optional extra.


NEW!



Nordic+ single window elements

PALMAKO NORDIC+ HOUSE ANNIKA 21,5 m²

ARTICLE NUMBER: 101257



MODEL SPECIFICATIONS

Wall measurements:

448x548 cm

Volume: 55,0 m³

Door/window type: Summer

Door/window glass:

Double glass, 3-9-3 mm

Window opening

measurements: 57x165 cm

Door opening

measurements: 78x191 cm

Door sill: hard wood

Roof boards: 19 mm

Roof area: 33,2 m²

Roof gradient: 7,0°

Gross ground area: 24,6 m²

OPTIONAL

Roofing felt (underlayer): 6 rolls, SBS roofing material: 6 rolls, roofing nails, rain gutters, additional door and window, single window elements. See Optional Products p. 256-273 for details.

Door and window elements can be swapped.


Double glazed.

Trendy look! Fine-sawn cladding.


Ready-made wall elements with wind protection plastic!



160 mm



A: 216 cm
B: 311 cm



Included
19 mm

NEW!



Nordic+ single window elements

OPTIONAL PRODUCTS

SEE OPTIONAL PRODUCTS, PAGES 256-273

House	Art. No.	SBS roofing		Roofing nails, 1 kg	EPDM ²	Rain gutters	Internal wall cladding	Canopy roof	Additional window	Additional window	Element Nordic+, single window
		Roofing felt, rolls	material, rolls								
Ly 13,6 m ²	101147	107210 5 rolls	107214 5 rolls	107950	106632	102825	103309				
Hedwig 13,6 m ²	101165	107210 5 rolls	107214 5 rolls	107950	106632	102825	103310				
Etta 13,6 m ²	101151	107210 5 rolls	107214 5 rolls	107950	106628	102825	103309				
Solveig 13,6 m ²	101205				Incl.	102826					
Charlotte 21,5 m ²	101253	107210 7 rolls	107214 7 rolls	107950	106632		108623				108665 108666 108667
Pernilla 21,5 m ²	101261	107210 7 rolls	107214 7 rolls	107950	106632		108623				108665 108666 108667
Annika 21,5 m ²	101257	107210 6 rolls	107214 6 rolls	107950	106626 + 106627						108665 108666 108667

¹ Shingles are available in different colours - 107180 = Black, 107182 = Red, 107183 = Green, 107181 = Brown.

² Includes glue for EPDM installation.

NORDIC+ CANOPY ROOF 2,7 m²

NEW!

ARTICLE NUMBER: 108623



MODEL SPECIFICATIONS

Measurements: 264x277 cm

Volume: 9,6 m³


Roof boards: 19 mm

Roof area: 5,5 m²


Roof gradient: 20,0°




90x90 mm



A: 213 cm
B: 288 cm



28 mm



OPTIONAL

Roofing felt (underlayer): 2 rolls, SBS roofing material: 2 rolls, shingles: 2 packs, roofing nails.

NORDIC+ ELEMENTS WITH WINDOW

NEW!

ARTICLE NUMBER: 108665 / 108666 / 108667



ELEMENT+SINGLE WINDOW (SMALL)



ELEMENT+SINGLE WINDOW (HALF)



ELEMENT+SINGLE WINDOW (LARGE)

MODEL SPECIFICATIONS

Measurements: 110x216

Window glass: Double glass, 3-9-3 mm



160 mm