

NOCTIS SOLARIS TECHNIC

SLI051001CW

Solar floodlight NOCTIS SOLARIS TECHNIC, with a power of 10 W. It has a high IP54 rating, making it ideal for use in rooms with high humidity. It shines with a cold light (6000K). The lamp has 3 lighting modes: 100% - lighting time up to 3 hours, 75% - lighting time up to 7 hours, 25% - lighting time up to 14 hours. It can also function as a power bank (USB cable included, battery capacity 4400 mAh)

IP54



Power **10 W**
Colour temperature **6000 K**
Beam angle **120 °**

Voltage **3,7 V**
Colour of light **CW**
Degree of protection (IP) **IP54**

Technical data

Code	SLI051001CW
Power	10 W
Voltage	3,7 V
Energy consumption	10 kWh/1000h
Protection class	III
Luminous flux	1000 lm (360°)
Colour temperature	6000 K
Colour of light	CW
Beam angle	120 °
RA	70
Light source included	Yes
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20/+40 °
Warranty	2 years
Lifespan	17000 h
(On/Off)	15000
Housing material	PC
Degree of protection (IP)	IP54
Colour	Pomarańczowy
Dimension (AxBxC)	235x175x40 mm
For use	Outside
Made in	PRC
Other	Switch: 100%-50%-25%-OFF, USB Powerbank function ,

Logistics data

Bulk packaging	20 pcs.
Quantity per pallet	520 pcs.
Gross weight (1 pcs.)	0.88 kg

*applies to the LED source used

Related documents



 User manual



 Declaration of
Conformity

