



POWER PLEX™
 40V MAX* LITHIUM ION PRODUCTS



TAKE CHARGE WITH TORO®
 BLOWER / CHAINSAW / HEDGE TRIMMER / STRING TRIMMERS

*Battery manufacturer rating = 40V maximum & 36V typical usage. Actual voltage varies with load.

T90	LITHIUM +ION BATTERY
T180	40V MAX ⚡

POWERFUL. DURABLE.

POWER PLEX™ 40V MAX* LITHIUM ION

T90

40V MAX*

LITHIUM +ION

BATTERY

2.5
AMP
HOURS

90
WATT
HOURS

60
MINUTE
CHARGE

BATTERY ENERGY COMPARED TO A PETROL TANK**

VOLTS	×	AMP-HOURS	=	WATT-HOURS
				SIZE OF PETROL TANK Total Energy

BATTERY ENERGY CAN CHANGE BASED ON VOLTAGE OR AMP-HOUR CELL STRUCTURE

18V (20V Max)	2.0 AH	36 WH
36V (40V Max)	2.5 AH	90 WH ≡ T90
36V (40V Max)	5.0 AH	180 WH ≡ T180
18V (20V Max)	10.0 AH	180 WH

Designed for the future, PowerPlex battery housing will hold more fuel in the same tank.

When selecting a battery product, compare both competitive cost and watt-hours.

A HIGHER WATT-HOUR WILL INCREASE RUNTIME ON THE SAME TOOL

UP TO
60
MINUTE
RUN TIME*


60 min. charge time (Hedge Trimmer)

120 min. charge time (Hedge Trimmer)

UP TO
120
MINUTE
RUN TIME*



RELATION OF SPEED TO RUNTIME



Graph illustrates 40V Blower and String Trimmers with variable speed



QUICK CHARGER

MODEL 88527

- Fits Toro **POWER PLEX™** tools
- Table top or wall mount option
- Charges T90 in 60 minutes, T180 in 120 Minutes

T90 BATTERY

MODEL 88525

- Fits Toro **POWER PLEX™** tools
- 40-Volt max, 2.5 Amp-Hour, 90 Watt-Hour
- Comes standard with **POWER PLEX™** tools
- On-board power meter

T180 BATTERY

MODEL 88526

- Fits Toro **POWER PLEX™** tools
- 40-Volt max, 5.0 Amp-Hour, 180 Watt-Hour
- LED Flashlight lasts up to 60 min
- USB charging port for charging small devices
- Folding handle makes carrying easier
- On-board power meter

Actual products may vary.

*Battery manufacturer rating = 40V maximum & 36V typical usage. Actual voltage varies with load.

**Analogy for general battery information. Not for technical specifications.

^Based on lowest speed in controlled laboratory testing of product.



BRUSHLESS DC BLOWER

MODEL 51134

TURBO BOOST POWER WITH SPEED LOCK

Up to 815 m³/h to move more faster

BRUSHLESS MOTOR More power, more runtime and longer life than brushed motor

ACCESSORY ATTACHMENT COLLAR & SPEED NOZZLE

Increases air speed and fits Toro Gutter Cleaning Kit

VARIABLE SPEED Lower Speed = Longer Run Time
Higher Speed = More Power

OPTIONAL ACCESSORIES: Gutter Cleaning Kit (51667)



35 CM BRUSHLESS DC CHAINSAW

MODEL 51138


BRUSHLESS MOTOR More power, more runtime and longer life than brushed motor

NO PULL EASY START Simply push the button

REDUCED KICKBACK Chain, bar tip indicator, chain brake, and metal bucking teeth

AUTOMATIC CHAIN OIL With oil level indicator to know when to refill

TOOL-FREE CHAIN TENSIONING Adjust by turning knobs with fingers



61 CM HEDGE TRIMMER

MODEL 51136

61 CM HARDENED STEEL BLADES

Sturdy, thick and robust

90° ROTATING HANDLE Quick, easy vertical trimming

DUAL-ACTION CUTTING SYSTEM Reduces vibration

20% THICKER BLADE Than a Toro 20V hedge trimmer



33 CM STRING TRIMMER/EDGER

MODEL 51130

ADJUSTABLE LENGTH SHAFT Custom fit to operator height

0.2 CM THICK SINGLE LINE WITH AUTO FEED
Thicker, longer lasting line

TRIMMER TO EDGER One button push and twist between modes

VARIABLE SPEED Lower Speed = Longer Run Time
Higher Speed = More Power



36 CM BRUSHLESS DC STRING TRIMMER

MODEL 51132


BRUSHLESS MOTOR More power, more runtime

0.2 CM DUAL LINE WITH BUMP FEED Durable, productive line control

CAST-ALUMINUM HEAD For long-lasting durability

VARIABLE SPEED Lower Speed = Longer Run Time
Higher Speed = More Power

STRAIGHT, FOLDABLE SHAFT For easy storage and transport



Actual products may vary.

[^]Based on lowest speed in controlled laboratory testing of product.

	51134	51138	51136	51130	51132
	BRUSHLESS BLOWER	35 CM BRUSHLESS CHAINSAW	61 CM HEDGE TRIMMER	33 CM STRING TRIMMER/EDGER	36 CM BRUSHLESS STRING TRIMMER
T90 BATTERY*					
Volts – Ah	40V – 2.5	40V – 2.5	40V – 2.5	40V – 2.5	40V – 2.5
Run time[^]	10-60 min	35-45 cuts/battery	60 min	45 min	40 min
Recharge <small>(Quick Charger Included)</small>	60 min	60 min	60 min	60 min	60 min
MOTOR	Brushless DC	Brushless DC	Brushed DC	Brushed DC	Brushless DC
SPEED <small>(up to)</small>	241 km/h 815 m ³ /h	11 m/s	3,200 SPM	N/A	N/A
CUTTING LENGTH	N/A	35 cm Bar	61 cm Bar	33 cm	36 cm
CUTTING TYPE	N/A	1 cm Pitch Chain	Dual action	Single 2 mm	Dual 2 mm
COMFORT	Variable Speed Cruise Control	Low-kickback Oregon Chain and Metal Bucking Teeth	90° Rotating Handle	Variable Speed Telescoping Shaft; Adjusting Assist Handle	Variable Speed Adjusting Assist Handle
WEIGHT	3.8 kg	6.2 kg	4.2 kg	3.8 kg	4.2 kg
WARRANTY	3-Year Full on Tools, 2-Year Full on Batteries				

Actual products may vary. All specifications to be verified with final product.



Count on it.



toro.com
Worldwide Headquarters
The Toro Company
8111 Lyndale Ave. So.
Bloomington, MN 55420 U.S.A.
Phone: (1) 952 888 8801
Fax: (1) 952 887 8258



facebook.com/TheToroCompany
twitter.com/TheToroCompany
youtube.com/ToroCompanyEurope

©2017 The Toro Company.
All Rights Reserved.
Printed in the USA

200-7659 GB

Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in use, design, required attachments and safety features. We reserve the right to improve our products and make changes in specifications, design and standard equipment without notice and without incurring obligation. See your distributor for details on all our warranties.

