

LED GLS

WOJ+14263

LED source LED GLS 15 W with E-27 base and with the shape of a traditional light bulb. It is characterised by a high light efficacy 107 lm/W. It shines with a cold light colour (6000K), which is suitable for rooms where we need to be most focused and concentrated, such as technical workstations. Wide beam angle 270° ensures even illumination of the room.



Power	15 W	Voltage	230 V
Luminous flux**	1600 lm (360°)	Colour temperature	6000 K
Colour of light	CW	Beam angle	270 °
Socket	E27		

Technical data

Code	W0J+14263
Power	15 W
Nominal current	85 mA
Voltage	230 V
Energy efficiency class	F
Energy consumption	15 kWh/1000h
Frequency	50HZ Hz
Power supply included	+
Power factor	0.5
Useful luminous flux*	1600 lm (360°)
Luminous flux**	1600 lm (360°)
Lamp efficacy	107 lm/W
Colour temperature	6000 K
Colour of light	CW
Beam angle	270 °
RA	80
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20/+40 °
Lifespan	17000 h
Socket	E27
Dimension (AxBxC)	60x122 mm
For use	Inside
Application	INT
Made in	PRC

Related documents



 Declaration of Conformity



 Photometric file

