

LED GLS

WOJ+14468

LED source LED GLS 2,5 W with E-27 base and with the shape of a traditional light bulb. The unique and incomparable design of the decorative MODERNSHINE series, featuring black iridescence and a 'smoked glass' effect, creates an intimate ambiance and atmospheric lighting. It is even more energy-efficient thanks to the use of durable COG filaments, which consume very little electricity. Lights up with neutral light - the most universal colour (4000K), which is suitable for the rooms we use on a daily basis, ensuring comfort during everyday activities. Wide beam angle 300° ensures even illumination of the room.



Power	2,5 W	Voltage	230 V
Luminous flux**	150 lm (360°)	Colour temperature	4000 K
Colour of light	Neutral white	Beam angle	300 °
Socket	E27		

Technical data

Code	W0J+14468
Power	2,5 W
Nominal current	20 mA
Voltage	230 V
Energy efficiency class	G
Energy consumption	3 kWh/1000h
Frequency	50HZ Hz
Power factor	0,5
Useful luminous flux*	150 lm (360°)
Luminous flux**	150 lm (360°)
Lamp efficacy	60 lm/W
Colour temperature	4000 K
Colour of light	Neutral white
Beam angle	300 °
RA	80
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20/+40 °
Lifespan	17000 h
Socket	E27
Dimension (AxBxC)	60x107 mm
For use	Inside
Application	INT
Made in	PRC

Related documents



 Declaration of Conformity

