

# LED GLS

WOJ+14488

LED source LED GLS 20 W with E-27 base and with the shape of a traditional light bulb. It is characterised by a high light efficacy 115 lm/W. It shines with a warm light (3000K), which promotes relaxation and rest, making the illuminated room cosier



|                 |                       |                           |               |
|-----------------|-----------------------|---------------------------|---------------|
| Power           | <b>20 W</b>           | Voltage                   | <b>230 V</b>  |
| Luminous flux** | <b>2300 lm (360°)</b> | Colour temperature        | <b>3000 K</b> |
| Colour of light | <b>WW</b>             | Beam angle                | <b>160 °</b>  |
| Socket          | <b>E27</b>            | Degree of protection (IP) | <b>IP20</b>   |

## Technical data

---

|                              |                |
|------------------------------|----------------|
| Code                         | WQJ+14488      |
| Power                        | 20 W           |
| Nominal current              | 165 mA         |
| Voltage                      | 230 V          |
| Energy efficiency class      | E              |
| Energy consumption           | 20 kWh/1000h   |
| Frequency                    | 50HZ Hz        |
| Power factor                 | 0.5            |
| Useful luminous flux*        | 2300 lm (360°) |
| Luminous flux**              | 2300 lm (360°) |
| Lamp efficacy                | 115 lm/W       |
| Colour temperature           | 3000 K         |
| Colour of light              | WW             |
| Beam angle                   | 160 °          |
| RA                           | >80            |
| Uniformity of color SDCM max | 5              |
| Dimmable                     | No             |
| Working temperature range    | -20 to +40 °   |
| Lifespan                     | 17000 h        |
| Socket                       | E27            |
| Degree of protection (IP)    | IP20           |
| Dimension (AxBxC)            | 65x132 mm      |
| For use                      | Inside         |
| Made in                      | PRC            |

## Related documents

---



 Declaration of Conformity

