

# LED TUBE

W0J+22301\_8.5W

LED TUBE 8,5 W with G13 socket. It is characterised by a high light efficacy 106 lm/W. Lights up with neutral light - the most universal colour (4000K), which is suitable for the rooms we use on a daily basis, ensuring comfort during everyday activities. Wide beam angle 270° ensures even illumination of the room.



|                 |                      |                    |               |
|-----------------|----------------------|--------------------|---------------|
| Power           | <b>8,5 W</b>         | Voltage            | <b>230 V</b>  |
| Luminous flux** | <b>900 lm (360°)</b> | Colour temperature | <b>4000 K</b> |
| Colour of light | <b>Neutral white</b> | Beam angle         | <b>270 °</b>  |
| Socket          | <b>G13</b>           |                    |               |

## Technical data

---

|                              |                |
|------------------------------|----------------|
| Code                         | W0J+22301_8.5W |
| Power                        | 8,5 W          |
| Nominal current              | 60 mA          |
| Voltage                      | 230 V          |
| Energy efficiency class      | F              |
| Energy consumption           | 9 kWh/1000h    |
| Frequency                    | 50HZ Hz        |
| Power factor                 | 0.6            |
| Useful luminous flux*        | 900 lm (360°)  |
| Luminous flux**              | 900 lm (360°)  |
| Lamp efficacy                | 106 lm/W       |
| Colour temperature           | 4000 K         |
| Colour of light              | Neutral white  |
| Beam angle                   | 270 °          |
| RA                           | 80             |
| Uniformity of color SDCM max | 5              |
| Dimmable                     | No             |
| Working temperature range    | -20/+40 °      |
| Lifespan                     | 17000 h        |
| Socket                       | G13            |
| Dimension (AxBxC)            | 28X600 mm      |
| For use                      | Inside         |
| Application                  | INT            |
| Made in                      | PRC            |

